

DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET NO.	TOTAL SHEETS

Randell D. Hiatt
REGISTERED CIVIL ENGINEER

July 21, 2017
PLANS APPROVAL DATE


No. C50200
EXP. 6-30-19
CIVIL
REGISTERED PROFESSIONAL ENGINEER
STATE OF CALIFORNIA

THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.


TO ACCOMPANY PLANS DATED _____

NOTES:

1. Use the details on this sheet when the length from the back of post to the hinge point is less than 18". Use the details on Revised Standard Plan RSP A77N5 when the length from the back of the post to the hinge point is greater than 18".
2. Construct vegetation control flush with the back edge of post.
3. Where paved shoulder is constructed within 36" in front of the post, construct vegetation control to the edge of paved shoulder.
4. For wood post sizes, see Revised Standard Plan RSP A77N1.
5. For steel post sizes, see Revised Standard Plan RSP A77N2.
6. For details not shown, see Revised Standard Plans RSP A77L1 and RSP A77L2.
7. Vegetation control must slope to drain water.
8. Concrete over block-out material depth, construct $\frac{3}{8}$ " Min to $\frac{5}{8}$ " Max.
9. This plan for vegetation control installation only.



PLAN



SECTION A-A

Without Existing Dike

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION

**MINOR CONCRETE VEGETATION CONTROL
GUARDRAIL SYSTEM
NARROW VEGETATION CONTROL INSTALLATION**

NO SCALE

RSP A77N5A DATED JULY 21, 2017 SUPPLEMENTS THE STANDARD PLANS BOOK DATED 2015.

REVISED STANDARD PLAN RSP A77N5A

2015 REVISED STANDARD PLAN RSP A77N5A