








DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET TOTAL NO. SHEETS




 REGISTERED CIVIL ENGINEER
 October 19, 2018
 PLANS APPROVAL DATE
 THE STATE OF CALIFORNIA OR ITS OFFICERS
 OR AGENTS SHALL NOT BE RESPONSIBLE FOR
 THE ACCURACY OR COMPLETENESS OF SCANNED
 COPIES OF THIS PLAN SHEET.


TO ACCOMPANY PLANS DATED _____

- LEGEND:**
-  STRUCTURE EXCAVATION (CULVERT)
 -  STRUCTURE BACKFILL (CULVERT)
95% RELATIVE COMPACTION
 -  ROADWAY EMBANKMENT
 -  SLURRY CEMENT BACKFILL
 -  SAND BEDDING (CULVERT)
 -  ROADWAY PAVEMENT STRUCTURE

- NOTES:**
1. Slope or shore excavation sides as necessary.
 2. Dimensions shown are minimum.
 3. Method 2 and 3 for single or multiple boxes requires an approved external sealing band. See Revised Standard Plan RSP D83A.
 4. Construction of Roadway Pavement Structure in Method 2 or Method 3 shall not disturb the external sealing band installation.




EXCAVATION IN TRENCH **BACKFILL IN TRENCH**



EXCAVATION IN EMBANKMENT **BACKFILL IN EMBANKMENT**

FILL HEIGHT GREATER THAN 2'-0"



EXCAVATION **METHOD 1** **METHOD 2** **METHOD 3** **EXCAVATION** **METHOD 1** **METHOD 2**

BACKFILL

* 1'-0" Where Method 1 or 2 Backfill is used.
2'-0" Where Method 3 Backfill is used.

FILL HEIGHT 2'-0" OR LESS

STATE OF CALIFORNIA
 DEPARTMENT OF TRANSPORTATION
**EXCAVATION AND BACKFILL PRECAST
 REINFORCED CONCRETE BOX CULVERT**
 NO SCALE

RSP A62G DATED OCTOBER 19, 2018 SUPERSEDES STANDARD PLAN A62G
 DATED MAY 31, 2018 - PAGE 35 OF THE STANDARD PLANS BOOK DATED 2018.
REVISED STANDARD PLAN RSP A62G

2018 REVISED STANDARD PLAN RSP A62G